



S.S. FORMAZIONE PERMANENTE E AGGIORNAMENTO

Evento Formativo Residenziale

PROGRAMMA REGIONALE DI SCREENING PER IL TUMORE DELLA MAMMELLA PREVENZIONE SERENA – WORKSHOP 2019

Ore 11.30 Indicazioni chirurgiche
(A. Ala, M.G. Baù)
Ore 11.50 Un key article per un chirurgo
(M. Bortolini)
Ore 11.55 Un key article per un anatomo patologo

DATA/E

05 dicembre 2019

SEDE

Aula Magna Dogliotti - Presidio Molinette

Corso Bramante,88 - TORINO

Received: 14 June 2019

Accepted: 19 June 2019

DOI: 10.1111/tbj.13526

SHORT COMMUNICATION

The Breast Journal WILEY

The ongoing evaluation and evolution of breast cancer surgical care

Marielle Ferstenberg DO | Thomas B. Julian MD

THE PAST



Fattibilità della
chemioterapia
preoperatoria
G. Bonadonna



NSABP B -27
La NAC permette
downstaging linfonodale
E. Mamounas

1970's



Intervento Chirurgico
Stadiazione ascella
Terapie adiuvanti.

1973-1978



1988-1997



NSABP B-18
La NAC riduce le
mastectomie
B. Fisher

1995-1997



THE PRESENT




2007



RCB influenza la sopravvivenza dopo NAC
WF Symmans

I pazienti con malattia aggressiva hanno miglior risposta alla NAC
P. Cortazar



2014

THE LANCET




JAMA Oncology

2017



Non più dissezione ascellare dopo NAC se CCR
M. Pilewskie

Biopsy Identification of Responders in Whom Breast Cancer Surgery Can Be Eliminated



“After neoadjuvant systemic therapy, image-guided FNA/VAC biopsy can accurately identify patients with a breast pathologic complete response. Based on these results, a prospective clinical trial has commenced in which breast surgery is omitted in patients with a breast pathologic complete response after neoadjuvant systemic therapy according to image-guided biopsy.”

Modified from Figure 1. 44 year old women with invasive ductal carcinoma before and after neoadjuvant systemic therapy. Complete response detected by FNA/VAC biopsy with 98% accuracy.

Kuerer et al. *Ann Surg.* May 2017. **ANNALS OF SURGERY**

Copyright © 2017 Wolters Kluwer Health, Inc. All rights reserved. Published by Lippincott Williams & Wilkins, Inc. A Monthly Review of Surgical Science Since 1885

CONCLUSIONI

- CONTINUA EVOLUZIONE DELLA GESTIONE DEL TUMORE MAMMARIO
- EVOLUZIONE DELLA TECNOLOGIA DI IMAGING
- CORRETTA VALUTAZIONE DEGLI ESITI DI NAC
- SELEZIONARE PAZIENTI IN CUI EVITARE LA CHIRURGIA
- MANTENENDO SOPRAVVIVENZA E SICUREZZA SODDISFACENTI

Handwritten text in blue ink on a white background. The text is written in a cursive, stylized script. The first part of the text is a large, stylized letter 'K' or 'G'. This is followed by a series of smaller, connected loops and curves, resembling a decorative flourish or a continuation of the same script. The final part of the text is a long, horizontal, slightly wavy line that tapers at both ends, possibly representing a signature or a decorative underline.